

## Waterfront Access : Aluminum Stairs

Our lightweight aluminum stair kits are designed for a variety of applications. Offering a lifetime of virtually maintenance free features, these quality aluminum stairs are an economical solution for waterfront or hillside access and ideal solution to replacing your old wooden steps. Not recommended for in-water use.



### Aluminum Stair Features

- Readily available in lengths up to 18'
- Non-skid, 28" wide aluminum stair treads
- Rounded aluminum handrails on both sides
- Adjustable rise & run (27 to 44 degrees) to accommodate your site
- Marine grade aluminum extrusions with stainless steel fasteners (not recommended for in water use)
- Lightweight & easy to carry for a two-person installation
- Custom fabrication available for specific applications & lengths (see custom catalog or our website)
- Optional adjustable footpads for base of stairs
- Includes mounting bracket (designed for easy seasonal installation & removal of stairs)

# Waterfront Access : Aluminum Stairs

Calculate shipping costs on our website at:

[www.thedockdoctors.com/stair-kits](http://www.thedockdoctors.com/stair-kits)




 4 and 6-step stairs ship UPS ground

 8 thru 16-step stairs ship freight



Optional adjustable footpad for uneven surfaces.



## How to measure for stairs

A few simple measurements can help determine the recommended length of stairs for your particular site.

For tips on how to measure, visit our website at:

[www.thedockdoctors.com/stair-kits](http://www.thedockdoctors.com/stair-kits)

# Aluminum Stairs

All stair treads are 28" wide

All stairs can be assembled to fit any distance between the minimum and maximum rise.

# of Steps	Price*	MINIMUM RISE			MAXIMUM RISE			Weight
		Rise @ 6" (27°)	Run with 6" rise	Length with 6" rise	Rise @ 9" (44°)	Run with 9" rise	Length with 9" rise	
4	\$ 955	2' 0"	4' 7"	5' 0"	3' 0"	3' 11"	4' 11"	70 lbs.
6	\$ 1,255	3' 0"	6' 6"	7' 2"	4' 6"	5' 6"	7' 1"	100 lbs.
8	\$ 1,555	4' 0"	8' 5"	9' 4"	6' 0"	7' 1"	9' 3"	122 lbs.
10	\$ 1,855	5' 0"	10' 4"	11' 6"	7' 6"	8' 8"	11' 5"	150 lbs.
12	\$ 2,155	6' 0"	12' 3"	13' 8"	9' 0"	10' 2"	13' 7"	174 lbs.
14	\$ 2,455	7' 0"	14' 2"	15' 10"	10' 6"	11' 9"	15' 9"	202 lbs.
16	\$ 2,755	8' 0"	16' 1"	18' 0"	12' 0"	13' 3"	17' 11"	225 lbs.
n/a	\$ 770	3' x 4' stair platform (standard duty aluminum with aluminum decking)						45 lbs.

\*Price includes mounting bracket (fasteners to existing platform not included); handrails down each side and slip resistant stair treads. Stair uprights remain vertical in any rise. Optional top and/or bottom stair platform in 3' x 4' standard duty aluminum. Optional pair of Adjustable Footpads includes brackets to mount to bottom of stairs, 1 1/2" aluminum support pipes 24" long, black safety caps & aluminum footpads. Requires stair frame drilling on-site to mount.



mounting bracket



rounded aluminum handrail



non-skid, 28" wide aluminum stair treads



(optional)  
**Adjustable Footpad**  
\$250 / pair

Requires drilling stair on-site to mount.



3' x 4' platform



**Assembly Options:** Unassembled: Requiring assembly on site to contour to desired rise (note: some drilling is required).

**Pre-assembled:** Factory assembled and adjusted to desired rise (note: additional assembly charge will apply).

\*Prices do not include shipping/delivery. To calculate shipping to your location, please visit: [www.thedockdoctors.com/stair-kits](http://www.thedockdoctors.com/stair-kits)